

## 2020-Present C8 Corvette 6.2 5028-261 5028-261-1

**UPR Oil Catch Can Installation** 



1. Remove the factory PCV hose. The hose runs from the vacuum port on the intake manifold to the PCV fitting at the lower front passenger side of the intake. It is easily released by pushing the buttons on the side of the fitting.



2. The UPR PCV hose will be the shorter of the two in the kit. Install the hose onto the PCV fitting and route it to the rear of the engine as shown. The hose can be secured with the factory looms. The hose end fittings are not crimped, so they can be rotated as needed.





**3.** Route the UPR Vacuum hose behind the PCV and Fuel lines, close to the intake, and loop it towards the rear of the car. The check valve in the hose has an arrow printed on it. The hose must be routed so that the arrow points towards the engine, away from the catch can.



**4.** On the rear crossmember, there are 2 threaded holes. Using the supplied hardware, install the UPR Billet 90 degree bracket onto the rear crossmember using the lower, inboard hole as shown









5. The catch can outlet will be indicated by a silver marking on the barrel of the fitting. This side of the catch can will connect to the intake manifold vacuum hose. ( the one with the check valve in it.) Install the UPR catch can onto the billet bracket with the supplied 10mm Allen bolt, or optional quick release knob if it was selected.



6. Connect the vacuum and PCV hoses to the catch can. The UPR Plug N Play connectors will simply clip on just like the factory connectors. To release them, Push both grey buttons on the fitting and slide it off. The catch can will be easily serviced by disconnecting the Plug N Play fittings, unscrew the catch can from the mount, and dispose of the liquid by unscrewing the containment cup to dump it out. Always dispose of the liquid like you would used oil.








Always check and drain the catch can more often in winter / freezing weather. If the water/oil mixture in the catch can is allowed to freeze it will cause damage to the catch can and internal components. Any damage due to freezing is NOT WARRANTY.

Product Liability Statement: The purchase of the product, manufactured by UPR Products Inc. completes an agreement between UPR Products Inc. and the customer. UPR Products Inc. assumes no liability for damages or injury incurred by the buyer of this product. The buyer has complete responsibility for the installation, use and upkeep of this product.





www.uprproducts.com • talktoupr@uprproducts.com