

UPR Oil Catch Can Installation

2009-14 Cadillac CTSV 6.2 LSA Supercharged Single Valve Catch Can


- The UPR catch can will mount onto the Supercharger Coolant Reservoir bracket. You will need to drill an 11mm clearance hole near the bottom of the Supercharger Coolant Reservoir bracket as shown in the picture.
- Using the supplied 10mm bolt and washers, mount the catch can bracket to the Supercharger Coolant Reservoir bracket as shown in the picture with the 'L' bracket in it's lowest positon.
- **3.** Find the factory PCV hose, and remove it. It is a short u-shaped hose on the left front side of the engine running from the port on the lifter valley plate to the vacuum port just below the supercharger snout. You will press the small release tab on each end of the hose to remove it.
- **4.** The 'Dirty side' hose will connect from the top port on the catch can to the PCV port on the lifter valley tray. This hose will not have a check valve in it.
- 5. The 'Clean side' hose *will* have a check valve in it. Route this hose so the arrow on the check valve faces away from the catch can. Connect the hose from the side of the catch can to the vacuum port just below the supercharger snout.
- 6. Check all of your connections to make sure the fittings are tight, the hoses are run in such a way that they will not interfere or be damaged by belts, pulleys, brackets or kinked.

Check your catch can every 500 miles for the first few oil changes to get to know your vehicles Oil consumption. **Never return collected oil back into the engine.**

Always check and drain the catch can more often in winter / freezing weather. If the water/oil mixture in the catch can is allowed to freeze it will cause damage to the catch can and internal components. Any damage due to freezing is NOT WARRANTY.








<u>Product Liability Statement:</u> The purchase of the product, manufactured by UPR Products Inc. completes an agreement between UPR Products Inc. and the customer. UPR Products Inc. assumes no liability for damages or injury incurred by the buyer of this product. The buyer has complete responsibility for the installation, use and upkeep of this product.





Be sure to shop our online store for the best deals: www.uprproducts.com



