



UPR Oil Catch Can Installation 5049-180, 5049-180-1



1. Remove the engine cover if equipped by pulling up on the cover. Remove the factory plastic PCV tube. Leave factory rubber PCV boots in place. Twist the 90-degree boot to face the front of the engine.



2. Remove the wiring harness retainer from the passenger side upper cylinder head by gently prying it out of the hole. Using the supplied hardware, mount the UPR catch can bracket to the Cylinder head as shown.
3. Install the UPR catch can onto the bracket using the supplied Allen screws as shown.



Be sure to shop our online store for the best deals: www.uprproducts.com



4. Install the barbed fitting and the billet hose end onto the catch can PCV hose. Push the fitting into the PCV boot. Before pushing the hose onto the catch can, install the billet hose end cover onto the hose and be sure it is routed so that it does not interfere with the engine cover fasteners. Once the hose is pushed onto the barbed fittings on the catch can, they will not come off.



5. Install the barbed fitting and hose end cover onto the vacuum hose. Just like the PCV hose, insert it into the rubber boot, then onto the catch can.



6. Double check the connections to make sure they are secure. Be sure the catch can mount is tight, and the containment cup is secure. Reinstall the engine cover. The UPR catch can is designed to fit under the factory cover. Some adjustment to the bracket mounting position may be necessary.

Check the containment cup every 500 miles at first to get to know your engine's needs. To empty the catch can, the cup is unscrewed from the catch can body. Always dispose of the liquid with used oil according to local laws. Do not over tighten the catch can cup, it just needs to be snug.

(UPR Billet One-Way Breather PN 5013-05 shown for demonstration. It is not included with the catch can kit)

Product Liability Statement: The purchase of the product, manufactured by UPR Products Inc. completes an agreement between UPR Products Inc. and the customer. UPR Products Inc. assumes no liability for damages or injury incurred by the buyer of this product. The buyer has complete responsibility for the installation, use and keep of this product.